

System Overview

SolarScapes are modular solar structures made from powder coated steel with virtually infinite configurations to meet the needs of any project.

Built with state-of-the-art U.S. manufacturing, **Solar**Scapes integrate our frameless Vision Module System and meet the highest snow, wind, hail ratings, giving you unbeatable aesthetics, functionality and durability.

- Meets the highest high wind, snow, and seismic loads
- Powder coated steel construction
- Bolt together assembly with no field welding

- Stamped structural engineering
- Foundation design
- Permit package



Structural Configurations


With seven primary pre-engineered shapes, a range of column spacing options and cantilever span capabilities, **Solar**Scapes have you covered.





| MODEL | LS | HS | DS |
|----------------------------------|-----|-----|-----|
| S Type Maximum Modules Deep (A) | 4 | 4 | 10 |
| L Type Maximum Modules Deep* (A) | 3 | 3 | 10 |
| Standard Low Side Clearance (B) | 8' | 8' | 8' |
| Tall Low Side Clearance (B) | 14' | 14' | 14' |

*Depends on L Type Module type used




| MODEL | TS | OTS | VS |
|----------------------------------|-----|-----|-----|
| S Type Maximum Modules Deep (A) | 7 | 6 | 7 |
| L Type Maximum Modules Deep* (A) | 6 | 6 | 6 |
| Standard Low Side Clearance (B) | 8' | 8' | 8' |
| Tall Low Side Clearance (B) | 14' | 14' | 14' |

*Depends on L Type Module type used

• Standard column spacing up to 20'. Longer spans can be accommodated depending on location.

• Standard 7° Tilt on all SolarScape structures.



Mechanical Specifications

Use the table below to determine which structure type will provide the desired coverage for your project.

| VISION S | MODULES DEEP | ARRAY DEPTH | ARRAY WIDTH | LS | HS | DS | TS | VS | OTS | ovs |
|----------|--------------|--------------|-------------|----|----|----|----|----|-----|-----|
| | 1 | 5' - 10" 7/8 | Unlimited | x | X | X | Х | | | |
| | 2 | 11' - 9" 3/4 | Unlimited | X | X | X | Х | X | | |
| | 3 | 17' - 8" 3/4 | Unlimited | x | X | X | Х | | Х | Х |
| | 4 | 23'- 7" 3/4 | Unlimited | X | X | X | Х | X | Х | Х |
| | 5 | 29' - 6" 3/4 | Unlimited | | | Х | Х | | Х | Х |
| | 6 | 35' - 5" 3/4 | Unlimited | | | X | Х | Х | X | X |
| | 7 | 41' - 4" 3/4 | Unlimited | | | X | Х | | Х | Х |
| | 8 | 47' - 3" 3/4 | Unlimited | | | X | Х | X | | |
| | 9 | 53' - 2" 3/4 | Unlimited | | | Х | | | | |
| | 10 | 59' - 1" 3/4 | Unlimited | | | X | | | | |
| VISION L | | | | | | | | | | |
| | 1 | 7' - 0" 1/8 | Unlimited | X | X | X | Х | | | |
| | 2 | 14' - 0" 1/4 | Unlimited | X | X | X | Х | Х | | |
| | 3 | 21' - 0" 1/2 | Unlimited | X | X | X | Х | | Х | Х |
| | 4 | 28' - 0" 2/3 | Unlimited | | | X | Х | Х | Х | Х |
| | 5 | 35' - 1" | Unlimited | | | X | Х | | Х | Х |
| | 6 | 42' - 1" 1/4 | Unlimited | | | X | Х | Х | | |
| | 7 | 49' - 1" 1/2 | Unlimited | | | X | Х | | | |
| | 8 | 56' - 1" 3/4 | Unlimited | | | X | X | | | |
| | 9 | 56' - 1" 3/4 | Unlimited | | | X | | | | |
| | 10 | 70' - 2" 1/4 | Unlimited | | | Х | | | | |

System Details

SolarScapes are precision fabricated structures that are built to last and look and work great for many years.

CONSTRUCTION



- All components CNC milled for precision fit
- All hardware is ultra-corrosion-resistant
- All welding completed per AWS D1.1
- All welds third party inspected



- SolarScapes are primed and powder coated witha minimum coating thickness of 5mil and a maximum of 10mil
- Coatings tested per ASTM D3451 guidelines
- Over 50 standard super durable powder coat color options. Custom color match is also available.

LIGHTING



- and lighting engineering

Outdoor rated LED lighting option

• Project specific photometric analysis